



A B C D E F G H I

REVISION

REV	DESCRIPTION	BY	DATE
A	NEW DRAWING	J.S.SHEU	04/07/06
B	MODIFY P/N	J.S.SHEU	01/02/07



"A" S=3/1

NOTES:

1. MATERIAL: 0.4±0.02 THICK ALLOY-194
2. BURR: 0.05MAX. UNLESS OTHERWISE SPECIFIED.
3. RADIUS: 0.3MAX ON ALL SHARP CORNERS UNLESS OTHERWISE SPECIFIED.
4. BDW: NOT TO EXCEED 0.5 IN A 15 FRAME STRIP.
5. CROSS BDW: NOT TO EXCEED 0.15 TO 25.4 WIDTH.
6. TWIST: 0.5MAX. IN A 15 FRAME STRIP.
7. CAMBER: LESS THAN 0.1 WHEN MEASURED OVER 15 POSITIONS.
8. TWISTING ANGLE: ±2°MAX. OF THE BDWL.
9. TOLERANCE: ±0.1 UNLESS OTHERWISE SPECIFIED.

ANGLES 0°±20'		DR		DATE		MAT'L	
M/M		J.S.SHEU		01/02/07		SEE NOTE 1	
0.0±0.13		CHK		01/02/07		FINISH	
0.00±0.05		ENGR				SEE NOTE 2	
0.000±0.03		APPD				DWG. NO.	
						M0346	
TITLE				SCALE			
CHALIN PRECISION INDUSTRIAL CO., LTD.				1:1			
2041-M298A				SIZE			
				A4			
				PART. NO.			
				E0346-B460000A			
				REV			
				B			
				SHT 1 OF 1			